INDEX TO AUTHORS

ABRAMSON, SAMUEL. See LURIE, ABRAMSON, and HEPPLESTON, 119

AINSLIE, JOHN D. The growth curve of the Lansing strain of poliomyelitis virus in the central nervous system of the mouse, 1

—. The growth curve of the Lansing strain of poliomyelitis virus in mice: The effect of sodium monofluoroacetate and methionine sulfoximine on the early phase of growth of the virus, 9

ANDRESEN, RICHARD H., MONROE, CLARENCE W., and HASS, GEORGE M. The pattern of tissue reactions to autologous and homologous musculofascial transplants, 509

BANG, F. B. See MURPHY and BANG, 259

BELMAN, SIDNEY. See EISEN, ORRIS, and BELMAN, 473

BYERS, SANFORD O., and FRIEDMAN, MEYER. Observations concerning the production and excretion of cholesterol in mammals. V. The relation of biliary retention of cholesterol, distention of the biliary tract, the shunting of bile to the vena cava, and the removal of the gastrointestinal tract to the hypercholesteremia consequent on biliary obstruction, 19

COLGAN, J., GATES, E., and MILLER, L. L. Serum and urinary fibrinolytic activity related to the hemorrhagic diathesis in irradiated dogs, 531

DAHL, LEWIS K., and DOLE, VINCENT P. The biphasic nature of renal calcification, 341

DOLE, VINCENT P. See DAHL and DOLE, 341

DRAKE, MILES E., WARD, CHARLES, STOKES, JOSEPH, JR., HENLE, WERNER, MEDAIRY, GEORGE C., MANGOLD, FRANÇOISE, and HENLE, GERTRUDE. Studies on the agent of infectious hepatitis. III. The effect of skin tests for infectious hepatitis on the incidence of the disease in a closed institution, 231

DUBOS, RENÉ J. See HIRSCH and DUBOS, 191

DZIEWIATKOWSKI, DOMINIC D. Radioautographic studies of sulfate-sulfur (S^{35}) metabolism in the articular cartilage and bone of suckling rats, 489

EISEN, HERMAN N., ORRIS, LEO, and BELMAN, SIDNEY. Elicitation of delayed allergic skin reactions with haptens: The dependence of elicitation on hapten combination with protein, 473

FISHER, ALICE. See SHWARTZMAN and FISHER, 347

FOX, CHARLES L., JR. See LESKOWITZ, FOX, and RAYMOND, 247

FRIEDMAN, MEYER. See BYERS and FRIEDMAN, 19

GATES, E. See COLGAN, GATES, and MILLER, 531

GINSBERG, HAROLD S., and HORSFALL, FRANK L., JR. Quantitative aspects of the multiplication of influenza A virus in the mouse lung. Relation between the degree of viral multiplication and the extent of pneumonia, 135

GOOD, ROBERT A. See THOMAS and GOOD, 409

GOODMAN, HOWARD C. See SELLERS, ROBERTS, RASK, SMITH, MARMORSTON, and GOODMAN, 465
GRAFF, SAMUEL. See HEIDELBERGER, GRAFF, and HAAGENSEN, 333

HAAGENSEN, C. D. See HEIDELBERGER, GRAFF, and HAAGENSEN, 333
HAMLIN, ALICE. See HARFORD and HAMLIN, 173
HARFORD, CARL G., and HAMLIN, ALICE. Effect of influenza virus on cilia and epithelial cells in the bronchi of mice, 173
HASS, GEORGE M. See ANDRESEN, MONROE, and HASS, 509
HEIDELBERGER, MICHAEL, GRAFF, SAMUEL, and HAAGENSEN, C. D. Quantitative immunochemical studies with the purified factor in mouse milk connected with mammary carcinoma, 333
HENLE, GERTRUDE. See DRAKE, WARD, STOKES, HENLE, MEDAIRY, MANGOLD, and HENLE, 231
HENLE, WERNER. See DRAKE, WARD, STOKES, HENLE, MEDAIRY, MANGOLD, and HENLE, 231
HEPPLESTON, A. G. See LURIE, ABRAMSON, and HEPPLESTON, 119
HIRSCH, JAMES G., and DUBOS, RENÉ J. The effect of spermine on tubercle bacilli, 191
HORSFALL, FRANK L., JR. See GINSBERG and HORSFALL, 135
—. See PERLMANN, TAMM, and HORSFALL, 99
—. See TAMM and HORSFALL, 71

JOHNSON, ALAN J., and TILLETT, WILLIAM S. The lysis in rabbits of intravascular blood clots by the streptococcal fibrinolytic system (streptokinase), 449

KAHN, JOSEPH R., SKEGGS, LEONARD T., JR., SHUMWAY, NORMAN P., and WISENBAUGH, PAUL E. The assay of hypertensin from the arterial blood of normotensive and hypertensive human beings, 523
KAHN, JOSEPH R. See SKEGGS, KAHN, and SHUMWAY, 241
KIDD, JOHN G. See SMITH, KIDD, and ROUS, 299
KUHNS, WILLIAM J., and PAPPENHEIMER, A. M., JR. Immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid. I. Relationship of skin sensitivity to purified diphtheria toxoid to the presence of circulating, non-precipitating antitoxin, 363
— and —. II. A comparison between the immunological properties of precipitating and non-precipitating (skin-sensitizing) antitoxins, 375

LAMSON, B. G. See MCKEE, YUILE, LAMSON, and WHIPPLE, 161
LAURENT, ANGELA M. See SALK and LAURENT, 429
LEFTWICH, CHARLES I., JR. See MIRICK, SMITH, LEFTWICH, and LEFTWICH, 147
LEFTWICH, WILLIAM B. See MIRICK, SMITH, LEFTWICH, and LEFTWICH, 147
LEMAISTRE, CHARLES, and TOMPSETT, RALPH. The emergence of pseudotuberculosis in rats given cortisone, 393
LESKOWITZ, SIDNEY, FOX, CHARLES L., JR., and RAYMOND, SAMUEL. The isolation and identification of *p*-aminobenzoic acid produced by staphylococci resistant to sulfonamide, 247
LITTLE, JAY N. See THOMAS and GOOD, 409
LURIE, MAX B., ABRAMSON, SAMUEL, and HEPPLESTON, A. G. On the response of genetically resistant and susceptible rabbits to the

quantitative inhalation of human type tubercle bacilli and the nature of resistance to tuberculosis, 119

MANGOLD, FRANÇOISE. See DRAKE, WARD, STOKES, HENLE, MEDAIRY, MANGOLD, and HENLE, 231

MARMORSTON, JESSIE. See SELLERS, ROBERTS, RASK, SMITH, MARMORSTON, and GOODMAN, 465

MCKEE, F. W., YUILE, C. L., LAMSON, B. G., and WHIPPLE, G. H. Albumin and globulin circulation in experimental ascites. Relative rates of interchange between plasma and ascitic fluid studied with C^{14}-labelled proteins, 161

MCLEAN, FRANKLIN C. See MILLER, WALDMAN, and MCLEAN, 497

MEDAIRY, GEORGE C. See DRAKE, WARD, STOKES, HENLE, MEDAIRY, MANGOLD, and HENLE, 231

MILLER, L. L. See COLGAN, GATES, and MILLER, 531

MILLER, ZELMA B., WALDMAN, JEROME, and MCLEAN, FRANKLIN C. The effect of dyes on the calcification of hypertrophic rachitic cartilage *in vitro*, 497

MIRICK, GEORGE S., SMITH, J. MACLEAN, LEFTWICH, CHARLES I., JR., and LEFTWICH, WILLIAM B. The enhancing effect of urethane on the severity of infection with pneumonia virus of mice (PVM), 147

MONROE, CLARENCE W. See ANDRESEN, MONROE, and HASS, 509

MORE, ROBERT H. See WAUGH and MORE, 555

MORGAN, HERBERT R. Factors related to the growth of psittacosis virus (strain 6BC). I. Pteroylglutamic acid, vitamin B_{12}, and citrovorum factor, 269

—. II. Purines, pyrimidines, and other components related to nucleic acid, 277

MURPHY, GEORGE E. Evidence that Aschoff bodies of rheumatic myocarditis develop from injured myofibers, 319

MURPHY, J. S., and BANG, F. B. Observations with the electron microscope on cells of the chick chorioallantoic membrane infected with influenza virus, 259

ORRIS, LEO. See EISEN, ORRIS, and BELMAN, 473

PALADE, G. E. A study of fixation for electron microscopy, 285

PAPPENHEIMER, A. M., JR. See KUHNS and PAPPENHEIMER, 363, 375

PAPPENHEIMER, ALWIN M. Fuchsinophile granules in the tissues of mice infected with the Connecticut-5 strain of Coxsackie virus, 251

PERLMANN, GERTRUDE E., TAMM, IGOR, and HORSFALL, FRANK L., JR. An electrophoretic examination of a urinary mucoprotein which reacts with various viruses, 99

POLLACK, ABOU D. See VICTOR, RAYMOND, VALLIANT, WAGNER, and POLLACK, 61

POWELL, ARNOLD. See HEIDELBERGER, GRAFF, and HAAGENSEN, 333

RASK, IRENE. See SELLERS, ROBERTS, RASK, SMITH, MARMORSTON, and GOODMAN, 465

RAYMOND, RUTH. See VICTOR, RAYMOND, VALLIANT, WAGNER, and POLLACK, 61

RAYMOND, SAMUEL. See LESKOWITZ, FOX, and RAYMOND, 247

ROBERTS, SIDNEY. See SELLERS, ROBERTS, RASK, SMITH, MARMORSTON, and GOODMAN, 465

ROGERS, DAVID E., and TOMPSETT,

RALPH. The survival of staphylococci within human leucocytes, 209

ROGERS, STANFIELD. Serial transplantation of rabbit papillomas caused by the Shope virus, 543

ROSENBLUM, HERMAN. See WILSON and ROSENBLUM, 25, 39, 51

ROUS, PEYTON. See SMITH, KIDD, and ROUS, 299

SALK, JONAS E., and LAURENT, ANGELA M. The use of adjuvants in studies on influenza immunization. I. Measurements in monkeys of the dimensions of antigenicity of virus–mineral oil emulsions, 429

SAMUEL, ANTON. See HEIDELBERGER, GRAFF, and HAAGENSEN, 333

SCHMIDT, WILLARD C. Group A streptococcus polysaccharide: Studies on its preparation, chemical composition, and cellular localization after intravenous injection into mice, 105

SELLERS, ALVIN L., ROBERTS, SIDNEY, RASK, IRENE, SMITH, STEPHEN, 3RD, MARMORSTON, JESSIE, and GOODMAN, HOWARD C. An electrophoretic study of urinary protein in the rat, 465

SHULMAN, N. RAPHAEL. Studies on the inhibition of proteolytic enzymes by serum. I. The mechanism of the inhibition of trypsin, plasmin, and chymotrypsin by serum using fibrin tagged with I^{131} as a substrate, 571

—. II. Demonstration that separate proteolytic inhibitors exist in serum; their distinctive properties and the specificity of their action, 593

—. III. Physiological aspects of variations in proteolytic inhibition. The concurrence of changes in fibrinogen concentration with changes in trypsin inhibition, 605

SHUMWAY, NORMAN P. See KAHN, SKEGGS, SHUMWAY, and WISENBAUGH, 523

—. See SKEGGS, KAHN, and SHUMWAY, 241

SHWARTZMAN, GREGORY, and FISHER, ALICE. Alteration of experimental poliomyelitis infection in the Syrian hamster with the aid of cortisone, 347

SKEGGS, LEONARD T., JR., KAHN, JOSEPH R., and SHUMWAY, NORMAN P. The isolation and assay of hypertensin from blood, 241

—. See KAHN, SKEGGS, SHUMWAY, and WISENBAUGH, 523

SMITH, J. MACLEAN. See MIRICK, SMITH, LEFTWICH, and LEFTWICH, 147

SMITH, STEPHEN, 3RD. See SELLERS, ROBERTS, RASK, SMITH, MARMORSTON, and GOODMAN, 465

SMITH, WILLIAM E., KIDD, JOHN G., and ROUS, PEYTON. Experiments on the cause of the rabbit carcinomas derived from virus-induced papillomas. I. Propagation of several of the cancers in sucklings, with etiological tests, 299

STERN, KURT. See LEMAISTRE and TOMPSETT, 393

STOKES, JOSEPH, JR. See DRAKE, WARD, STOKES, HENLE, MEDAIRY, MANGOLD, and HENLE, 231

TAMM, IGOR, and HORSFALL, FRANK L., JR. A mucoprotein derived from human urine which reacts with influenza, mumps, and Newcastle disease viruses, 71

—. See PERLMANN, TAMM, and HORSFALL, 99

THOMAS, LEWIS, and GOOD, ROBERT A. The effect of cortisone on the Shwartzman reaction. The production of lesions resembling the dermal and generalized Shwartzman

reactions by a single injection of bacterial toxin in cortisone-treated rabbits, 409
TILLETT, WILLIAM S. See JOHNSON and TILLETT, 449
TOMPSETT, RALPH. See LEMAISTRE and TOMPSETT, 393
—. See ROGERS and TOMPSETT, 209

VALLIANT, JEANNE. See VICTOR, RAYMOND, VALLIANT, WAGNER, and POLLACK, 61
VICTOR, JOSEPH, RAYMOND, RUTH, VALLIANT, JEANNE, WAGNER, JOHN C., and POLLACK, ABOU D. Studies on opsonins in Q fever, 61

WAGNER, JOHN C. See VICTOR, RAYMOND, VALLIANT, WAGNER, and POLLACK, 61
WALDMAN, JEROME. See MILLER, WALDMAN, and MCLEAN, 497
WARD, CHARLES. See DRAKE, WARD, STOKES, HENLE, MEDAIRY, MANGOLD, and HENLE, 231
WAUGH, DOUGLAS, and MORE, ROBERT H. Experimental globulin glomerulonephritis in rabbits. Morphological and functional changes, 555
WHIPPLE, G. H. See MCKEE, YUILE, LAMSON, and WHIPPLE, 161
WILSON, ARMINE T., and ROSENBLUM, HERMAN. The antistreptococcal property of milk. I. Some characteristics of the activity of lactenin *in vitro*. The effect of lactenin on hemolytic streptococci of the several serological groups, 25
— and —. II. The effects of anaerobiosis, reducing agents, thiamine, and other chemicals on lactenin action, 39
— and —. III. The role of lactenin in milk-borne epidemics. The *in vivo* action of lactenin, 51
WISENBAUGH, PAUL E. See KAHN, SKEGGS, SHUMWAY, and WISENBAUGH, 523

YUILE, C. L. See MCKEE, YUILE, LAMSON, and WHIPPLE, 161

INDEX TO SUBJECTS

ACETATE, monofluoro-, sodium, and methionine sulfoximine, effect on early phase of growth of Lansing strain of poliomyelitis virus, 9

Acid, *p*-aminobenzoic, produced by staphylococci resistant to sulfonamide, isolation and identification of, 247

—, nucleic, and growth of psittacosis virus, strain 6BC, relation of purines, pyrimidines, and other components, 277

—, pteroylglutamic, vitamin B_{12}, and citrovorum factors related to growth of psittacosis virus, strain 6BC, 269

Albumin and globulin circulation in ascites, 161

Allantoic, chorio-, membrane of chick infected with influenza virus, observations with electron microscope on cells of, 259

Allergic and normal individuals hyperimmunized with diphtheria toxoid, immunochemical studies of antitoxin produced in, 363, 375

— skin reactions, delayed, elicitation with haptens combined with protein, 473

Aminobenzoic acid, *p*-, produced by staphylococci resistant to sulfonamide, isolation and identification of, 247

Anaerobiosis, reducing agents, thiamine, and chemicals, effects on lactenin action, in study of antistreptococcal property of milk, 39

Antigenicity of virus–mineral oil emulsions, measurements of dimensions of, as adjuvant in study of influenza immunization, 429

Antistreptococcal property of milk, characteristics of activity of lactenin *in vitro* and effect of lactenin on hemolytic streptococci of serological groups, 25

— property of milk, effects of anaerobiosis, reducing agents, thiamine, and chemicals on lactenin action, 39

— property of milk, role of lactenin in milk-borne epidemics and *in vivo* action of lactenin, 51

Antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, immunochemical studies, 363, 375

Antitoxins, precipitating and nonprecipitating, skin-sensitizing, immunological properties, 375

Arterial blood of normotensive and hypertensive human beings, assay of hypertensin from, 523

Aschoff bodies of rheumatic myocarditis developing from injured myofibers, evidence, 319

Ascitic fluid and plasma, rates of interchange studied with C^{14}-labelled proteins, 161

Autologous and homologous musculofascial transplants, pattern of tissue reactions to, 509

BACILLI, tubercle, effect of spermine on, 191

—, tubercle, human, inhalation by genetically resistant and susceptible rabbits, response to and nature of resistance to tuberculosis, 119

Bacterial toxin, single injection in cortisone-treated rabbits, production of lesions resembling dermal and Shwartzman reactions by, 409

Benzoic acid, *p*-amino-, produced by staphylococci resistant to sulfonamide, isolation and identification of, 247
Bile, shunted to vena cava, biliary retention of cholesterol, distention of biliary tract, and removal of gastrointestinal tract, relation to hypercholesteremia consequent on biliary obstruction, 19
Biliary obstruction, hypercholesteremia consequent on, and relation of biliary retention of cholesterol, distention of biliary tract, shunting of bile to vena cava, and removal of gastrointestinal tract to, 19
Blood, arterial, of normotensive and hypertensive human beings, assay of hypertensin from, 523
— clots, intravascular, lysis by streptokinase, 449
—, hypertensin from, isolation and assay, 241
Bodies, Aschoff, rheumatic myocarditis developing from injured myofibers, evidence, 319
Bone and articular cartilage of suckling rats, radioautographic studies of sulfate-sulfur metabolism in, 489
Bronchi, effect of influenza virus on cilia and epithelial cells in, 173

CALCIFICATION of hypertrophic rachitic cartilage *in vitro*, effect of dyes on, 497
—, renal, biphasic nature, 341
Cancer derived from virus-induced papillomas, propagation of cancers in sucklings, with etiological tests, 299
—, mammary, quantitative immunochemical studies with purified factor in milk connected with, 333
Carbon, radioactive, labelled proteins used to study rates of interchange between plasma and ascitic fluid, 161
Carcinoma. *See* Cancer.
Cartilage, articular, and bone of suckling rats, radioautographic studies of sulfate-sulfur metabolism in, 489
— *in vitro*, hypertrophic rachitic, effect of dyes on calcification, 497
Cells, epithelial, and cilia in bronchi, effect of influenza virus on, 173
— of chick chorioallantoic membrane infected with influenza virus, electron microscope observations, 259
Cellular location after intravenous injection, preparation, and chemical composition of group A streptococcus polysaccharide, 105
Chemical composition, preparation, and cellular localization after intravenous injection of group A streptococcus polysaccharide, 105
Chemicals, anaerobiosis, reducing agents, thiamine, effects on lactenin action, in study of antistreptococcal property of milk, 39
Chemistry, immuno-, quantitative studies with purified factor in milk connected with mammary carcinoma, 333
—, immuno-, studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, 363, 375
Cholesterol, production and excretion of in mammals, 19
Chorioallantoic membrane of chick infected with influenza virus, observations with electron microscope on cells of, 259
Chymotrypsin, trypsin, and plasmin, inhibition by serum using fibrin tagged with I^{131} as substrate, 571
Cilia and epithelial cells in bronchi, effect of influenza virus on, 173
Circulating and non-precipitating antitoxin, relationship of skin sensi-

tivity to purified diphtheria toxoid to, 363
Circulation, albumin and globulin, in ascites, 161
Citrovorum, pteroylglutamic acid, and vitamin B_{12}, factors related to growth of psittacosis virus, strain 6BC, 269
Clots, intravascular blood, lysis by streptokinase, 449
Cortisone administration and emergence of pseudotuberculosis, 393
— and its alteration of poliomyelitis infection in Syrian hamster, 347
Cortisone-treated rabbits, single injection of bacterial toxin in, and production of lesions resembling dermal and Shwartzman reactions, 409
Coxsackie virus, Connecticut-5 strain, fuchsinophile granules in tissues infected with, 251

DERMAL and generalized Shwartzman reactions, lesions resembling, production by single injection of bacterial toxin in cortisone-treated rabbits, 409
Diathesis, hemorrhagic, in irradiated dogs, serum and urinary fibrinolytic activity related to, 531
Diphtheria toxoid, immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with, 363, 375
Disease, infectious hepatitis, effect of skin test on incidence in closed institution, 231
—, Newcastle, influenza, and mumps viruses, mucoprotein derived from human urine which reacts with, 71
Dyes, effect on calcification of hypertrophic rachitic cartilage *in vitro*, 497

ELECTRON microscope observations on cells of chick chorioallantoic membrane infected with influenza virus, 259
Electron microscopy, study of fixation for, 285
Electrophoretic examination of urinary mucoprotein which reacts with viruses, 99
— study of urinary protein, 465
Emulsions, virus–mineral oil, measurements of dimensions of antigenicity, as adjuvant in study of influenza immunization, 429
Enzymes, proteolytic, inhibition by serum, physiological aspects and concurrence of changes in fibrinogen concentration with changes in trypsin inhibition, 605
—, proteolytic, inhibition by serum, properties and specificity of action of separate proteolytic inhibitors in serum, 593
—, proteolytic, inhibition of trypsin, plasmin, and chymotrypsin by serum using fibrin tagged with I^{131} as substrate, 571
Epidemics, milk-borne, role of lactenin and its *in vivo* action, in study of antistreptococcal property of milk, 51
Epithelial cells and cilia in bronchi, effect of influenza virus on, 173
Etiological test, propagation of cancers in sucklings in carcinomas derived from virus-induced papillomas, 299
Excretion and production of cholesterol in mammals, 19

FEVER, Q. *See* Q fever.

Fibrin tagged with I^{131} as substrate, used in inhibition of trypsin, plasmin, and chymotrypsin by serum, 571
Fibrinogen concentration, changes concurrent with changes in trypsin inhibition, and physiological aspects of variations in proteolytic inhibition, in inhibition of proteolytic enzymes by serum, 605

Fibrinolytic activity, urinary and serum, relation to hemorrhagic diathesis in irradiated dogs, 531
— system, streptococcal, lysis of intravascular blood clots by streptokinase, 449
Fixation for electron microscopy, study, 285
Fluid, ascitic, and plasma, rates of interchange studied with C^{14}-labelled proteins, 161
Fluoroacetate, mono-, sodium, and methionine sulfoximine, effect on early phase of growth of Lansing strain of poliomyelitis virus, 9
Fuchsinophile granules in tissues infected with Connecticut-5 strain of Coxsackie virus, 251

GASTROINTESTINAL tract, removal, biliary retention of cholesterol, distention of biliary tract, and shunting of bile to vena cava, relation to hypercholesteremia consequent on biliary obstruction, 19
Genetically resistant and susceptible rabbits, response to quantitative inhalation of human tubercle bacilli and nature of resistance to tuberculosis, 119
Globulin and albumin circulation in ascites, 161
—, glomerulonephritis in rabbits, morphological and functional changes, 555
Glomerulonephritis, globulin, in rabbits, morphological and functional changes, 555
Granules, fuchsinophile, in tissues infected with Connecticut-5 strain of Coxsackie virus, 251

HAPTENS combined with protein and elicitation of delayed allergic skin reactions with, 473
Hemolytic streptococci of serological groups, effect of lactenin on, and characteristics of lactenin *in vitro*, in study of antistreptococcal property of milk, 25
Hemorrhagic diathesis in irradiated dogs, serum and urinary fibrinolytic activity related to, 531
Hepatitis, infectious, effect of skin tests on incidence in closed institution, 231
Homologous and autologous musculofascial transplants, pattern of tissue reactions to, 509
Hypercholesteremia consequent on biliary obstruction, relation of biliary retention of cholesterol, distention of biliary tract, shunting of bile to vena cava, and removal of gastrointestinal tract, 19
Hypertensin from arterial blood of normotensive and hypertensive human beings, assay of, 523
— from blood, isolation and assay, 241
Hypertensive and normotensive human beings, assay of hypertensin from arterial blood of, 523
Hypertrophic rachitic cartilage *in vitro*, effect of dyes on calcification of, 497

IMMUNIZATION, influenza, measurements of dimensions of antigenicity of virus–mineral oil emulsions used as adjuvant in study of, 429
— with diphtheria toxoid of normal and allergic individuals, immunochemical studies of antitoxin produced in, 363, 375
Immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with diphtheria toxoid, 363, 375
— studies, quantitative, with purified factor in milk connected with mammary carcinoma, 333
Immunological properties of precipitating and non-precipitating, skin-sensitizing, antitoxins, 375
Influenza A virus in mouse lung, relation between degree of viral multiplication and extent of pneumonia, 135

Influenza immunization, measurements of dimensions of antigenicity of virus–mineral oil emulsions used as adjuvant in study of, 429
—, mumps, and Newcastle disease viruses, mucoprotein derived from human urine which reacts with, 71
— virus, cells of chick chorioallantoic membrane infected with, observations with electron microscope, 259
— virus, effect on cilia and epithelial cells in bronchi, 173
Inhalation of human tubercle bacilli, response of genetically resistant and susceptible rabbits to, and nature of resistance to tuberculosis, 119
Injection, intravenous, cellular localization after, preparation, and chemical composition of group A streptococcus polysaccharide, 105
—, single, of bacterial toxin in cortisone-treated rabbits, production of lesions resembling dermal and Shwartzman reactions by, 409
Iodine-131 as substrate to tag fibrin, in inhibition of trypsin, plasmin, and chymotrypsin by serum using, 571
Irradiated dogs, serum and urinary fibrinolytic activity related to hemorrhagic diathesis in, 531

KIDNEY calcification, biphasic nature, 341

LACTENIN action, effects of anaerobiosis, reducing agents, thiamine, and chemicals on, in study of antistreptococcal property of milk, 39
— in milk-borne epidemics and its *in vivo* action, in study of antistreptococcal property of milk, 51
— *in vitro* and its effect on hemolytic streptococci of serological groups, in study of antistreptococcal property of milk, 25
Lesions resembling dermal and generalized Shwartzman reactions, production by single injection of bacterial toxin in cortisone-treated rabbits, 409
Leucocytes, human, survival of staphylococci within, 209
Lung, mouse, influenza A virus in, and relation between degree of viral multiplication and extent of pneumonia, 135
Lysis of intravascular blood clots by streptokinase, 449

MAMMALS, production and excretion of cholesterol in, 19
Mammary carcinoma, quantitative immunochemical studies with purified factor in milk connected with, 333
Man, normotensive and hypertensive, assay of hypertensin from arterial blood of, 523
—, survival of staphylococci in leucocytes of, 209
—, tubercle bacilli in, inhalation by genetically resistant and susceptible rabbits, response to and nature of resistance to tuberculosis, 119
—, urine, mucoprotein derived from which reacts with influenza, mumps, and Newcastle disease viruses, 71
Membrane, chorioallantoic, of chick, infected with influenza virus, observations with electron microscope on cells of, 259
Metabolism, sulfate-sulfur, in articular cartilage and bone of suckling rats, radioautographic studies of, 489
Methionine sulfoximine and sodium monofluoroacetate, effect on early phase of growth of Lansing strain of poliomyelitis virus, 9
Microscope, electron, observations on cells of chick chorioallantoic membrane infected with influenza virus, 259

Microscopy, electron, study of fixation for, 285
Milk, antistreptococcal property of, characteristics of activity of lactenin *in vitro* and effect of lactenin on hemolytic streptococci of serological groups, 25
—, antistreptococcal property of, effects of anaerobiosis, reducing agents, thiamine, and chemicals on lactenin action, 39
—, antistreptococcal property of, role of lactenin in milk-borne epidemics and *in vivo* action of lactenin, 51
—, purified factor connected with mammary carcinoma in quantitative immunochemical studies, 333
Mineral oil–virus emulsions, measurements of dimensions of antigenicity, as adjuvant in study of influenza immunization, 429
Monofluoroacetate, sodium, and methionine sulfoximine, effect on early phase of growth of Lansing strain of poliomyelitis virus, 9
Morphological and functional changes in globulin glomerulonephritis in rabbits, 555
Mucoprotein, urinary, human, which reacts with influenza, mumps, and Newcastle disease viruses, 71
—, urinary, which reacts with various viruses, electrophoretic examination, 99
Mumps, influenza, and Newcastle disease viruses, mucoprotein derived from human urine which reacts with, 71
Musculofascial transplant, homologous and autologous, pattern of tissue reactions to, 509
Myocarditis, rheumatic, Aschoff bodies developing from injured myofibers, evidence, 319
Myofibers, injured, evidence that Aschoff bodies of rheumatic myocarditis develop from, 319

NEPHRITIS, glomerular, in rabbits, globulin, morphological and functional changes, 555
Nervous system, central, Lansing strain of poliomyelitis in, growth curve, 1
Newcastle disease, influenza, and mumps viruses, mucoprotein derived from human urine which reacts with, 71
Normotensive and hypertensive human beings, assay of hypertensin from arterial blood of, 523
Nucleic acid and growth of psittacosis virus, strain 6BC, relation of purines, pyrimidines, and other components, 277

OBSTRUCTION, biliary, hypercholesteremia consequent on, and relation of biliary retention of cholesterol, distention of biliary tract, shunting of bile to vena cava, and removal of gastrointestinal tract to, 19
Oil. *See* Mineral oil.
Opsonins in Q fever, 61

PAPILLOMAS, rabbit, serial transplantation, caused by Shope virus, 543
—, virus-induced, carcinomas derived from, propagation of cancers in sucklings, with etiological tests, 299
Physiological aspects of changes in trypsin inhibition, and concurrence of changes in fibrinogen concentration with changes in trypsin inhibition, in inhibition of proteolytic enzymes by serum, 605
Plasma and ascitic fluid, rates of interchange studied with C^{14}-labelled proteins, 161
Plasmin, trypsin, and chymotrypsin, inhibition by serum using fibrin tagged with I^{131} as substrate, 571
Pneumonia, extent of, in study of influenza A virus in mouse lung

and degree of viral multiplication, relation between, 135
Pneumonia virus of mice, effect of urethane on severity of infection with, 147
Poliomyelitis infection in Syrian hamster, alteration with aid of cortisone, 347
— virus, Lansing strain, effect of sodium monofluoroacetate and methionine sulfoximine on early phase of growth of, 9
— virus, Lansing strain, in central nervous system, growth curve, 1
Polysaccharide, streptococcus, group A, preparation, chemical composition, and cellular localization after intravenous injection, 105
Precipitating and non-precipitating, skin-sensitizing, antitoxins, immunological properties, 375
—, non-, and circulating antitoxin, relationship of skin sensitivity to purified diphtheria toxoid to, 363
Protein, elicitation of delayed allergic skin reactions with haptens combined with, 473
—, urinary, electrophoretic study, 465
Proteins, C^{14}-labelled, used to study rates of interchange between plasma and ascitic fluid, 161
Proteolytic enzymes, inhibition by serum, physiological aspects and concurrence of changes in fibrinogen concentration with changes in trypsin inhibition, 605
— enzymes, inhibition by serum, properties and specificity of action of separate proteolytic inhibitors in serum, 593
— enzymes, trypsin, plasmin, and chymotrypsin, inhibition by serum using fibrin tagged with I^{131} as substrate, 571
Pseudotuberculosis, emergence during cortisone administration, 393
Psittacosis virus, strain 6BC, pteroylglutamic acid, vitamin B_{12}, and citrovorum factors related to growth of, 269
Psittacosis virus, strain 6BC, purines, pyrimidines, and other components related to nucleic acid and growth, 277
Pteroylglutamic acid, vitamin B_{12}, and citrovorum factors related to growth of psittacosis virus, strain 6BC, 269
Purines, pyrimidines, and other components related to nucleic acid and growth of psittacosis virus, strain 6BC, 277
Pyrimidines, purines, and other components related to nucleic acid and growth of psittacosis virus, strain 6BC, 277

Q fever, opsonins in, 61

RACHITIC cartilage *in vitro*, hypertrophic, effect of dyes on calcification, 497
Radioactive carbon-labelled proteins used to study rates of interchange between plasma and ascitic fluid, 161
— iodine as substrate to tag fibrin, inhibition of trypsin, plasmin, and chymotrypsin by serum using, 571
Radioautographic studies of sulfate-sulfur metabolism in articular cartilage and bone of suckling rats, 489
Reactions, delayed allergic skin, elicitation with haptens combined with protein, 473
—, Shwartzman and dermal, lesions resembling, production by single injection of bacterial toxin in cortisone-treated rabbits, 409
Reducing agents, anaerobiosis, thiamine, and chemicals, effects on lactenin action, in study of antistreptococcal property of milk, 39
Renal. *See* Kidney.

Resistance and susceptibility, genetic, in rabbits, response to quantitative inhalation of human tubercle bacilli and nature of resistance to tuberculosis, 119
Resistant staphylococci to sulfonamide, isolation and identification of *p*-aminobenzoic acid produced by, 247
Rheumatic myocarditis, Aschoff bodies developing from injured myofibers, evidence, 319

SENSITIVITY, skin, to purified diphtheria toxoid, relationship to circulating, non-precipitating antitoxin, 363
Sensitizing, skin-, antitoxins, precipitating and non-precipitating, immunological properties, 375
Serological groups, effect of lactenin on hemolytic streptococci of, and characteristics of lactenin *in vitro*, in study of antistreptococcal property of milk, 25
Serum, inhibition of proteolytic enzymes by, physiological aspects and concurrence of changes in fibrinogen concentration with changes in trypsin inhibition, 605
—, inhibition of proteolytic enzymes by, properties and specificity of action of separate proteolytic inhibitors in serum, 593
—, inhibition of trypsin, plasmin, and chymotrypsin by, using fibrin tagged with I^{131} as substrate, 571
— and urinary fibrinolytic activity, relation to hemorrhagic diathesis in irradiated dogs, 531
Shope virus, serial transplantation of rabbit papillomas caused by, 543
Shwartzman and dermal reactions, lesions resembling, production by single injection of bacterial toxin in cortisone-treated rabbits, 409
Skin reactions, allergic, delayed, elicitation with haptens combined with protein, 473
Skin sensitivity to purified diphtheria toxoid, relationship to circulating, non-precipitating antitoxin, 363
— tests for infectious hepatitis, effect on incidence in closed institution, 231
Skin-sensitizing antitoxins, precipitating and non-precipitating, immunological properties, 375
Sodium monofluoroacetate and methionine sulfoximine, effect on early phase of growth of Lansing strain of poliomyelitis virus, 9
— sulfate, labelled, radioautographic studies of S^{35} metabolism in articular cartilage and bone of suckling rats, 489
Specificity of action and properties of separate proteolytic inhibitors in serum, 593
Spermine, effect on tubercle bacilli, 191
Staphylococci resistant to sulfonamide, isolation and identification of *p*-aminobenzoic acid produced by, 247
—, survival within human leucocytes, 209
Streptococcal, anti-, property of milk, characteristics of activity of lactenin *in vitro* and effect of lactenin on hemolytic streptococci of serological groups, 25
—, anti-, property of milk, effects of anaerobiosis, reducing agents, thiamine, and chemicals on lactenin action, 39
—, anti-, property of milk, role of lactenin in milk-borne epidemics and *in vivo* action of lactenin, 51
— fibrinolytic system, lysis of intravascular blood clots by streptokinase, 449
Streptococci, hemolytic, of serological groups, effect of lactenin on, and characteristics of lactenin *in vitro*,

in study of antistreptococcal property of milk, 25
Streptococcus polysaccharide, group A, preparation, chemical composition, and cellular localization after intravenous injection, 105
Streptokinase, lysis of intravascular blood clots by, 449
Sulfonamide, isolation and identification of *p*-aminobenzoic acid produced by staphylococci resistant to, 247
Sulfoximine, methionine, and sodium monofluoroacetate, effect on early phase of growth of Lansing strain of poliomyelitis virus, 9
Sulfur-35 of labelled sodium sulfate, radioautographic studies of metabolism in articular cartilage and bone of suckling rats, 489
Sulfur-sulfate metabolism in articular cartilage and bone of suckling rats, radioautographic studies of, 489
Susceptibility and resistance, genetic, in rabbits, response to quantitative inhalation of human tubercle bacilli and nature of resistance to tuberculosis, 119

THIAMINE, anaerobiosis, reducing agents, and chemicals, effects on lactenin action, in study of antistreptococcal property of milk, 39
Tissue reactions to autologous and homologous musculofascial transplants, pattern, 509
Tissues infected with Connecticut-5 strain of Coxsackie virus, fuchsinophile granules in, 251
Toxin, bacterial, single injection in cortisone-treated rabbits, production of lesions resembling dermal and Shwartzman reactions by, 409
Toxoid, diphtheria, immunochemical studies of antitoxin produced in normal and allergic individuals hyperimmunized with, 363, 375
Transplantation, autologous and homologous musculofascial, pattern of tissue reactions to, 509
—, serial, of rabbit papillomas caused by Shope virus, 543
Trypsin inhibition, changes concurrent with changes in fibrinogen concentration, and physiological aspects of variations in proteolytic inhibition, in inhibition of proteolytic enzymes by serum, 605
—, plasmin, and chymotrypsin, inhibition by serum using fibrin tagged with I^{131} as substrate, 571
Tubercle bacilli, effect of spermine on, 191
— bacilli, human, inhalation by genetically resistant and susceptible rabbits, response to and nature of resistance to tuberculosis, 119
Tuberculosis, pseudo-, emergence during cortisone administration, 393
—, resistance, in response of genetically resistant and susceptible rabbits to quantitative inhalation of human type tubercle bacilli, 119

URETHANE, effect on severity of infection with pneumonia virus of mice, 147
Urinary human mucoprotein which reacts with influenza, mumps, and Newcastle disease viruses, 71
— mucoprotein which reacts with viruses, electrophoretic examination, 99
— protein, electrophoretic study, 465
— and serum fibrinolytic activity, relation to hemorrhagic diathesis in irradiated dogs, 531

VENA cava, shunting of bile to, biliary retention of cholesterol, distention of biliary tract, and removal of gastrointestinal tract,

relation to hypercholesteremia consequent on biliary obstruction, 19
Virus, Coxsackie, Connecticut-5 strain, fuchsinophile granules in tissues infected with, 251
—, influenza A, in mouse lung, relation between degree of viral multiplication and extent of pneumonia, 135
—, influenza, cells of chick chorioallantoic membrane infected with, observations with electron microscope, 259
—, influenza, effect on cilia and epithelial cells in bronchi, 173
—, pneumonia, of mice, effect of urethane on severity of infection with, 147
—, poliomyelitis, Lansing strain, effect of sodium monofluoroacetate and methionine sulfoximine on early phase of growth of, 9
—, poliomyelitis, Lansing strain, in central nervous system, growth curve, 1
—, psittacosis, strain 6BC, purines, pyrimidines, and other components related to nucleic acid and growth of virus, 277
Virus, Shope, serial transplantation of rabbit papillomas caused by, 543
—, psittacosis, strain 6BC, pteroylglutamic acid, vitamin B_{12}, and citrovorum factors related to growth of, 269
Viruses, influenza, mumps, and Newcastle disease, mucoprotein derived from human urine which reacts with, 71
—, urinary mucoprotein which reacts with, electrophoretic examination, 99
Virus-induced papillomas, carcinomas derived from, propagation of cancers in sucklings, with etiological tests, 299
Virus–mineral oil emulsions, measurements of dimensions of antigenicity, as adjuvant in study of influenza immunization, 429
Vitamin B_{12}, pteroylglutamic acid, and citrovorum factors related to growth of psittacosis virus, strain 6BC, 269